

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

| REPORT DOCUMENTATION PAGE | READ INSTRUCTIONS BEFORE COMPLETING FORM |
|--|--|
| 1 11 | 3. RECIPIENT'S CATALOG NUMBER |
| WHOI-81-104 AD-A111: | 78 0 |
| 4. TITLE (and Sublitie) COMPUTED DEOCESCED CEORDIVETON, ATLAC OF DIGITAL | 5. TYPE OF REPORT & PERIOD COVERED |
| COMPUTER-PROCESSED GEOPHYSICAL ATLAS OF DIGITAL DATA FOR THE EAST COAST MARGIN OF THE UNITED | Technical |
| STATES FROM SURFACE AND SPACECRAFT DATA | 6. PERFORMING ORG. REPORT NUMBER |
| 7. AUTHOR(e) | S. CONTRACT OR GRANT NUMBER(s) |
| Carl Bowin, Julie Milligan and Karen Dunkle | N00014-82-C-0019 |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS |
| Woods Hole Oceanographic Institution_ Woods Hole, Massachusetts 02543 | AREA & WORK DATE ROMBERS |
| 11. CONTROLLING OFFICE NAME AND ADDRESS | 12. REPORT DATE |
| NORDA/National Space Technology Laboratory | December 1981 |
| Bay St. Louis, MS 39529 | 13. NUMBER OF PAGES |
| 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling (Illice) | 32 pages 15. SECURITY CLASS. (of this report) |
| | 1 |
| | Unclassified |
| | 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE |
| 16. DISTRIBUTION STATEMENT (of this Report) | 7.5 5.000 |
| Approved for public release; distribution unlimi | ted. |

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report)

A

FEB 2 6 1982

18. SUPPLEMENTARY NOTES

This report should be cited as: Woods Hole Oceanog. Inst. Tech. Rept. WHOI-81-104.

- 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)
 - Digital data display; geophysical data
 - 2. Geographical data processing
 - 3. East coast margin of the United States

20. ABSTRACT (Continue on reverse elde il necessary and identify by block n unber)

This atlas comprises maps for the East Coast margin of the United States of free-air gravity anomaly, geoid anomaly, regional geoid anomaly, magnetic crustal anomaly, and bathymetry. Data from surface measurements, GEOS-III and MAGSTAT Satellites, GEM-9 spherical harmonic coefficients, and SYNBAPS bathymetry profiling system were utilized. Estimated error maps for the geoid data are not included because for the marine areas, these data are uniformly at very low error. The data are presented in three sets of maps

DD 1 JAN 79 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED 12/81
SECURITY CLASSIFICATION OF THIS PAGE (Then Date Shier

Cont.

5x2000

COMPUTER-PROCESSED GEOPHYSICAL ATLAS OF DIGITAL DATA FOR THE EAST COAST MARGIN OF THE UNITED STATES FROM SURFACE AND SPACECRAFT DATA

Ву

Carl Bowin, Julie Milligan and Karen Dunkle

WOODS HOLE OCEANOGRAPHIC INSTITUTION Woods Hole, Massachusetts 02543

December 1981

TECHNICAL REPORT

Prepared for the Office of Naval Research under Contract N00014-82-C-0019 and for the Joint Oceanographic Institutions, Inc. subcontracts 20-81, 24-81, and 21-81.

Reproduction in whole or in part is per for any purpose of the United States Government. To part should be port should be cited as: Woods Hole Oceanog. Inst. Tech. R. . WHOI-81-104.

Approved for public release; distribution unlimited.

Approved for Distribution:

John I. Ewing, Chairman J
Department of Geology and Geophysics

TABLE OF CONTENTS

| Page |
|---|
| Abstract 2 |
| Introduction 3 |
| Methodology 3 |
| Acknowledgements 6 |
| References 7 |
| Index Map 8 |
| Free-Air Gravity Anomaly, Northern Portion 9 |
| Gravity Error Estimate, Northern Portion10 |
| Geoid (GEOS-3), Northern Portion11 |
| Regional Geoid (GEM 9 degree 10), Northern Portion12 |
| Residual Geoid, Northern Portion |
| Magnetic Crustal Anomaly (MAGSAT), Northern Portion14 |
| Magnetic Crustal Anomaly Error Estimate, Northern Portion15 |
| Bathymetry (SYNBAPS), Northern Portion16 |
| Free-Air Gravity Anomaly, Central Portion |
| Gravity Error Estimate, Central Portion18 |
| Geoid (GEOS-3), Central Portion19 |
| Regional Geoid (GEM 9 degree 10), Central Portion20 |
| Residual Geoid, Central Portion21 |
| Magnetic Crustal Anomaly (MAGSAT), Central Portion22 |
| Magnetic Crustal Anomaly Error Estimate, Central Portion23 |
| Bathymetry (SYNBAPS), Central Portion24 |
| Free-Air Gravity Anomaly, Southern Portion25 |
| Gravity Error Estimate, Southern Portion26 |
| Geoid (GEOS-3), Southern Portion27 |
| Regional Geoid (GEM 9 degree 10), Southern Portion28 |
| Residual Geoid, Southern Portion29 |
| Magnetic Crustal Anomaly (MAGSAT), Southern Portion30 |
| Magnetic Crustal Anomaly Error Estimate, Southern Portion31 |
| Bathymetry (SYNBAPS), Southern Portion32 |



ABSTRACT

States of free-air gravity anomaly, geoid anomaly, regional geoid anomaly, residual geoid anomaly, magnetic crustal anomaly, and bathymetry. Data from surface measurements, GEOS-III and MAGSAT Satellites, GEM-9 spherical harmonic coefficients, and SYNBAPS bathymetry profiling system were utilized. Estimated error maps for the geoid data are not included because for the marine areas, these data are uniformly of very low error. The data are presented in three sets of maps of northern, central, and southern portions of the margin.

INTRODUCTION

This atlas comprises maps for the East Coast margin of the United States of free-air gravity anomaly, geoid anomaly, regional geoid anomaly, residual geoid anomaly, magnetic crustal anomaly, and bathymetry. Maps of estimated error are included for free-air gravity and magnetic crustal anomaly. Estimated error maps for the geoid data are not included because for the marine areas, these data are uniformly of very low error. The data are presented in three sets of maps of northern, central, and southern portions of the margin.

METHODOLOGY

Data for all these maps were prepared by interpolating values to an orthogonal grid of latitude and longitude positions. This grid is such that all points are equally spaced in a Mercator projection. For a given area, the more dense the number of grid points, the greater can be the detail recorded in the final maps. However, the denser the grid, the more computer time required for the interpolation. The maps of this atlas are a compromise, having a spacing of 0.2° in longitude. This is equivalent to approximately 25 grid points per degree square.

The interpolation for the gravity, geoid, and magnetic crustal anomaly was

accomplished using objective mapping techniques (Bretherton, et. al., 1976; Gandin, 1965) which provided optimal estimates in the sense of a Gausso-Markov least square estimator. The technique also provides

relative error estimates: the higher the error estimate, the poorer the quality of the interpolated value. Note that higher error estimates usually occur when the data distribution for interpolation is the weakest.

The gravity data was interpolated from our digital gravity data library at Woods Hole Oceanographic Institution. This library comprises over four million observations world-wide. The geoid data was interpolated from our digital library of GEOS-3 radar altimeter measurements as adjusted by the Defense Mapping Agency (Brace, 1977). This data base covers all the world's oceans between latitudes of about 65°N and 65°S. The magnetic crustal anomaly values were interpolated from a set of global estimates at a 2° latitude and longitude spacing from MAGSAT data prepared by Robert Langel of Goddard Space Flight Center (P.C. August, 1981).

The interpolation of bathymetry data was accomplished using the U.S. Navy SYNBAPS system installed on our VAX computer. This system was developed by Roger van Wickenhouse of NORDA and comprises gridded polynomial coefficients from which bathymetry can be calculated (Van Wyckhouse, 1973). Error estimates are not provided.

The regional geoid anomaly was computed from the GEM-9 set of spherical harmonic coefficients (Lerch et al, 1979) through degree 10. Degree 10 was determined by Bowin (1980, 1981, in prep.) to provide a good estimate of geoid anomalies resulting from mass anomalies deep in the earth: those due to the deeper parts of plate convergent zones, from the deep mantle, and those at the core-mantle boundary region. Error

estimates are not available for the GEM-9 spherical harmonic coefficient set. Subtraction of this regional geoid anomaly from the interpolated geoid value at each grid point, yields the residual geoid anomaly which results from mass anomalies in the outer 600 km of the earth (Bowin, 1980, 1981, in preparation). This residual geoid anomaly commonly shows good correlation with surficial geology.


Following gridding, each data set was then contoured using the program GPCP. A latitude and longitude grid overlay was superimposed on the contour plot generated by GPCP. For the gravity and geoid maps, the location of the original measurements used in making the grid interpolations was also plotted with contours and position grid. Additional data outside the map boundaries was utilized in the interpolation of gravity, geoid, and magnetic crustal anomaly values. Thus, the interpolated values near, and at, the edges of the maps are based on data surrounding each point, not only those within the map bounds. The estimated error maps indicate variations in their quality as well as for interior points.


ACKNOWLEDGEMENTS

The development of the rapid and effective storage and retrieval system was aided by the efforts of Skip Little and Robert Groman. This retrieval system has made practical the implementation of the objective mapping interpolation scheme. We thank Brechner Owens for his invaluable guidance in developing these interpolation procedures. Those developments were supported by contracts with the Office of Naval Research and the United States Geological Survey. The preparation of the maps of this Atlas were supported principally as part of the Ocean Margin Drilling Synthesis Program funded by the National Science Foundation and administered by JOI, Inc. This effort has led to further improvements in the interpolation procedures which have been incorporated in preparing the maps of this Atlas.

REFERENCES

- Bowin, C.O., 1980. Why the Earth's Greatest Geoid Anomaly is so Negative. EOS, Vol. 61, No. 17, p. 209.
- Bowin, C.O., 1981. Mass and Topographic Anomalies at the Core-mantle Boundary Region from Gravity and Geoid Observations (abs), IASPEI 1981 Abstracts, 21st Gen. Assem., pg. B2.2.
- Bowin, C.O., in preparation. Decomposition of the Earth's Gravity Field.
- Brace, K., 1977. Preliminary ocean-area geoid from Geos-3 satellite radar altimetry. Paper presented at Geos-3 meeting, NASA, New Orleans, La., Nov. 1977.
- Bretherton, F.P., R.E. Davis and C.B. Fandry, 1976. A technique for objective analysis and design of oceanographic experiments applied to MODE-73. Deep-Sea Res., Vol. 23, 559-582.
- Gandin, L.S., 1965. Objective analysis of meteorological fields. Trans. fr. Russian. Israel Program for Scientific Translations Ltd., Jerusalem.
- Langel, R.A., 1980. MAGSAT Scientific Investigations. NASA Technical Memorandum 80698.
- Lerch, F.J., S.M. Klosko, R.E. Laubscher, and C.A. Wagner, 1979. Gravity model improvement using GEOS 3 (GEM 9 and 10). J. Geophys. Res., Vol. 84, p. 3897-3916.
- Van Wyckhouse, R.J., 1973. Synthetic Bathymetry Profiling System (SYNBAPS). Tech. Rep., Naval Oceanographic Office, Washington, D.C.








FREE-AIR GRAVITY ANOMALY




GRAVITY ERROR ES












MAGNETIC CRUSTAL ANOMALY ERROR ESTIMATE




BATHYMETRY (SYNBAPS)





-17-





-18-















-23-








-25-















-31-



MANDATORY DISTRIBUTION LIST

FOR UNCLASSIFIED TECHNICAL REPORTS, REPRINTS, AND FINAL REPORTS PUBLISHED BY OCEANOGRAPHIC CONTRACTORS OF THE OCEAN SCIENCE AND TECHNOLOGY DIVISION OF THE OFFICE OF NAVAL RESEARCH

(REVISED NOVEMBER 1978)

Deputy Under Secretary of Defense (Research and Advanced Technology) Military Assistant for Environmental Science Room 3D129 Washington, D.C. 20301

Office of Naval Research 800 North Quincy Street

- Arlington, VA 22217 ATTN: Code 483 ATTN: Code 460 ATTN: 102B
- CDR Joe Spigai, (USN) ONR Representative Woods Hole Oceanographic Inst. Woods Hole, MA 02543

Commanding Officer Naval Research Laboratory Washington, D.C. 20375

- ATTN: Library, Code 2627
- Defense Technical Information Center 12 Cameron Station Alexandria, VA 22314 ATTN: DCA

Commander Naval Oceanographic Office **NSTL Station** Bay St. Louis, MS 39522

- ATTN: Code 8100 ATTN: Code 6000 ATTN: Code 3300
- NODC/NOAA 1 Code D781 Wisconsin Avenue, N.W. Washington, D.C. 20235
- 1 Mr. Michael H. Kelly Administrative Contracting Officer Department of the Navy Office of Naval Research Eastern/Central Regional Office Building 114, Section D 666 Summer Street Boston, MA 02210

| | | MANOR -81-104 | 1. Digital data display: geophysical |
|--|--|--|---|
| COMPUTE-PROCESSED ECOPHYSICAL ATLAS OF DIGITAL DATA FOR THE LOST CHEST OF THE LABITED STATES FICH SURVEY AND SPACEOURT BETTA BY CATA DEATH, AUGUS HITTSON AND Ex-en- AND AND SPACEOURT BETTA CATA DEATH AND | | COMPUTER-PROCESSED GEOPHYSICAL ATLAS OF DIGITAL DATA FOR THE EAST COATE MANGING PER THE MITTIES FASTIS FOR SINGEACE MAND SPACEOMET DATA MAGEIN OF THE MITTIES AND ASSECTED DATA BY CAPT BOARD. Julie Willigan and Karen Dankie. 22 pages. December 1981. Prepared for the Diffice of Mays in December 1981. Prepared for the Diffice of Mays in December Contract WIDDIS-2C-C-DUIS and for John Coembographics institutions, Inc. under subcontracts 20-81, 24-81 and 21-81. | 2. Geographical data processing 3. East coast margin of the United States 1. Bourn, Carl 11. Milligan, Julie |
| This acts comprises maps for the East Chart sarryin of the Balled Schools of French 1 provinty accountly, good annually, replaced special country, and chart partial accountly, mandered annually, mandered annually, residual good account annually, residual good account annually, and annually, and annually and statement and STREAT Statilites, ECPs spacerial harmonic confrictions, and STREAT Statilites, ECPs the good data are not included became for the marine areas, these data are not breakly of very less errors. The data are presented in three the marine areas, these data are unitary and marines, control, and southern portions of the margin. | III. Bunkle, Karen IV. Noool4-82-C-0019 This card is UNCLASSIFIED | This atlas comprises maps for the East Coast margin of the United States of free-air gravity anomaly, Sporid anomaly, residently, anomaly, Sporid anomaly, marginetic regions jeofd anomaly, residently, and bathymetry. Date from sarface measurements, EGDS-III anomaly, and bathymetry. Date from sarface measurements, EGDS-III and MACAN Satellites, EGN-8 spherical harmonic utilized. Extracted error maps for the goold data are not include because for the marrier error, rise date are unit-showing of very low error. The date are presented in three sets of maps of northern, central, and southern portions of the marryin. | III. Dunkle, Karun IV. MOODI4-12-C-0019 This card is UNCLASSIFIED |
| Mand this Coansprents Institution | 1. Mgftel dete display; geophysical | Woods Hole Oceanographic Institution | 1. Digital den display; geophysical |
| COMPATER-PROCESSED RECOMMENSION, ATLAS OF DIGITAL DATA FOR THE CAST COMMENS OF THE UNITED STATES FROM SOUPHEL READ PACEDET BATH AND CATE BEATH, WAS A PATHLESSE OF THE UNITED SAN OF THE OFFICE OF THE UNITED SAN OF THE OFFICE OF THE COMMENSION AND COMMENSION OF THE OFFICE OF THE COMMENSION AND COMMENSION OF THE OFFICE OFFICE OF THE COMMENSION OF THE OFFICE OF | 2. Geographical data processing 3. East coast margin of the United States 1. Bowin, Carl II. Milligan, Julie | COMPUTER-PROCESSED RECOMPRICES ATLAS OF DIGITAL DATA FOR THE EAST CAST PANAGER OF THE UNITED STATES FROM SOFFACE AND SPACECRAFT DATA by Carl Gardin, Julie and River And the Second of the Confidence of Resolution and Experience of Resol Research under Contract WOODIG-82-C-COID and for Both Commongraph of Anticological Anticological Confidence 20-61, 24-81 and 21-81. | 2. Geographical data processing 3. East coast margin of the United States 1. Bourin, Carl 11. Milligen, Julie |
| This acts comperions maps for the East Caset margin of the Medical States of from-air gravity meanity, good domaily, regions again domaily, may deal domaily, resident good domaily, may deal domaily, may be act domaily, may be act domaily, and batchwarty, that from surface measurements, and STRMAST Statillates, EDDs against an entering ordificants, and STRMAST Statipusity profitting system ware actions. Estimated error may for the quelity and data are not included because for the marrier areas, these data are unitermy of wary law error. The data are presented in three sets of mars of morthers, control, and southern portions of the margin. | III. Dukle, Karen IV. MODIC-62-C-0019 This card is UNCLASSIFIED | This sties comprises maps for the East Coast maryin of the United States of free-dir grantly annually, sporid anomaly, residual goold anomaly, and professionally marginal goold anomaly, marginal goold anomaly, and batchmatry. Data from surface massurement, EEG-III and MMESA Statilites, EEH-9 spherical harmonic conficients, and smaller batchmatry profit ling system were estilized. Estimated error maps for the sporid data are not include because for the sporid and are unit-fromly of very low error. The data are presented in three sets a maps of northern, central, and southern portions of | _ |
| | | | |

DATE ILMED